

SLDXA /D /L2 – SLX Compare Details

SLDXA.exe ver 1.0 Copyright (c) 2004-2006 SJJ Embedded Micro Solutions, LLC

All Rights Reserved

SLXDifFC.exe ver 2.0 / SLXtoTXTC.exe ver 2.0

www.sjjmicro.com

Processing... Diff File1 and File2

Loading the files...

Preparing for Diff...

Finding the Differences... Please Wait

F:\SLXTEST\LOCKDOWN_DEMO2.SLX is missing the following:

Administrator Account Property Name = cmiUserPassword Format = String Value = password

Advanced Configuration and Power Interface (ACPI) PC Property Name = cmiHibernateEnable Format = Boolean Value = False

Automatic Logon

Automatic Logon Property Name = cmiAutoLogonDomain Format = String Value =

Automatic Logon Property Name = cmiAutoLogonPassword Format = String Value = password

Automatic Logon Property Name = cmiAutoLogonUser Format = String Value = Employee

Automatic Logon Property Name = cmiLangEnableMUI Format = Boolean Value = True

Automatic Logon Property Name = cmiNoHelpFiles Format = Boolean Value = False

Automatic Logon Property Name = cmiProtPropList Format = Multi Value =

63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004100750074006F004C006F0067006F006E005500730065007200000063006D0069004100750074006F004C006F0067006F006E00500061007300730077006F0072006400000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000

Automatic Logon Property Name = cmiServicePackLevel Format = Integer Value = 2

Automatic Logon Property Name = SrcFileSize Format = Integer Value = 0

Cash Register Shell

Cash Register Shell Property Name = cmiLangEnableMUI Format = Boolean Value = True

Cash Register Shell Property Name = cmiNoHelpFiles Format = Boolean Value = False

Cash Register Shell Resource Name = cmiProtPropList Format = Multi Value =

63006D0069005300680065006C006C005000610074006800000063006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000

Cash Register Shell Property Name = cmiServicePackLevel Format = Integer Value = 2

Cash Register Shell Property Name = cmiShellPath Format = String Value = c:\Windows\System32\ACME_Register.exe

Cash Register Shell Property Name = SrcFileSize Format = Integer Value = 495616

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" BuildOrder = 1000 Disabled = False

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = DstName Format = String Value = ACME_Register.exe

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = DstPath Format = String Value = %11%

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = NoExpand Format = Boolean Value = False

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = Overwrite Format = Boolean Value = False

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = SrcFileCRC Format = Integer Value = 0

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = SrcFileSize Format = Integer Value = 241664

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = SrcName Format = String Value =

Cash Register Shell Resource Name = File(819):"%11%", "ACME_Register.exe" Property Name = SrcPath Format = String Value =

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" BuildOrder = 1000 Disabled = False

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = DstName Format = String Value = Admin_Control.exe

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = DstPath Format = String Value = %11%

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = NoExpand Format = Boolean Value = False

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = Overwrite Format = Boolean Value = False

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = SrcFileCRC Format = Integer Value = 0

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = SrcFileSize Format = Integer Value = 241664

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = SrcName Format = String Value =

Cash Register Shell Resource Name = File(819):"%11%", "Admin_Control.exe" Property Name = SrcPath Format = String Value =

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" BuildOrder = 1000 Disabled = False

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = DstName Format = String Value = TaskKeyHook.dll

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = DstPath Format = String Value = %11%

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = NoExpand Format = Boolean Value = False

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = Overwrite Format = Boolean Value = False

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = SrcFileCRC Format = Integer Value = 0

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = SrcFileSize Format = Integer Value = 12288

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = SrcName Format = String Value =

Cash Register Shell Resource Name = File(819):"%11%", "TaskKeyHook.dll" Property Name = SrcPath Format = String Value =

Cash Register Shell Resource Name = RawDep(819):"File", "xpsp1res.dll" BuildOrder = 1000 Disabled = False

Cash Register Shell Resource Name = RawDep(819):"File", "xpsp1res.dll" Property Name = ComponentVSGUID Format = GUID Value = {E987B872-2E93-48BC-B350-6BA44F82F241}

Cash Register Shell Resource Name = RawDep(819):"File", "xpsp1res.dll" Property Name = RawType Format = String Value = File

Cash Register Shell Resource Name = RawDep(819):"File", "xpsp1res.dll" Property Name = Value Format = String Value = xpsp1res.dll

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" BuildOrder = 2000 Disabled = False

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = KeyPath Format = String Value = HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = RegCond Format = Integer Value = 1

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = RegOp Format = Integer Value = 1

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = RegType Format = Integer Value = 1

Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = RegValue Format = String Value = ClassMoniker
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}", "" Property Name = ValueName Format = String Value =
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" BuildOrder = 2000 Disabled = False
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = KeyPath Format = String Value = HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = RegCond Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = RegOp Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = RegType Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = RegValue Format = String Value = ole32.dll
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\InprocServer32", "" Property Name = ValueName Format = String Value =
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" BuildOrder = 2000 Disabled = False
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = KeyPath Format = String Value = HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = RegCond Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = RegOp Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = RegType Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = RegValue Format = String Value = clsid
Cash Register Shell Resource Name = RegKey(819):"HKEY_CLASSES_ROOT\CLSID\{0000031A-0000-0000-C000-000000000046}\ProgID", "" Property Name = ValueName Format = String Value =
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" BuildOrder = 2000 Disabled = False
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = RegCond Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = RegOp Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = RegType Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = RegValue Format = String Value = {0000031A-0000-0000-C000-000000000046}
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Classes\CLSID\CLSID", "" Property Name = ValueName Format = String Value =
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" BuildOrder = 2000 Disabled = False
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = ComponentVSGUID Format = GUID Value = {5C6B74DD-FAA0-48BB-A319-E161CE45EC9A}
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = RegCond Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = RegOp Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = RegType Format = Integer Value = 1
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = RegValue Format = String Value = USR:Software\Microsoft\Windows NT\CurrentVersion\Winlogon
Cash Register Shell Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\IniFileMapping\system.in\boot", "Shell" Property Name = ValueName Format = String Value = Shell
Dial-up Server for Windows
LogonStudio (SJJ Embedded Micro Solutions)
LogonStudio (SJJ Embedded Micro Solutions) Property Name = cmiLangEnableMUI Format = Boolean Value = True
LogonStudio (SJJ Embedded Micro Solutions) Property Name = cmiNoHelpFiles Format = Boolean Value = False
LogonStudio (SJJ Embedded Micro Solutions) Property Name = cmiProtPropList Format = Multi Value = 63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C006500730000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
LogonStudio (SJJ Embedded Micro Solutions) Property Name = cmiServicePackLevel Format = Integer Value = 2
LogonStudio (SJJ Embedded Micro Solutions) Property Name = SrcFileSize Format = Integer Value = 7315456
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" BuildOrder = 1000 Disabled = False
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = Arguments Format = String Value =
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = ComponentVSGUID Format = GUID Value = {2C0F78AE-12B4-4D1E-9691-AA8F23334FAA}
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = DLLInstall Format = Boolean Value = False
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = DLLRegister Format = Boolean Value = True
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = ErrorControl Format = Integer Value = 0
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = FilePath Format = String Value = %11%\comdlg32.ocx
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = Flags Format = Integer Value = 0
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = FBRegDLL(819):"%11%\comdlg32.ocx" Property Name = Phase Format = Integer Value = 4500

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = Arguments
Format = String Value =
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name =
ComponentVSGUID Format = GUID Value = {2C0F78AE-12B4-4D1E-9691-AA8F23334FAA}
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = DstName Format
= String Value = LogonStudio.Ink
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = DstPath Format =
String Value = %16407%\WinCustomize
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = HotKey Format =
String Value =
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = IconLocation
Format = String Value = ,0
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = Overwrite Format =
Boolean Value = False
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = TargetPath
Format = String Value = %16422%\WinCustomize\LogonStudio\LogonStudio.exe
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = WindowStyle
Format = Integer Value = 1
LogonStudio (SJJ Embedded Micro Solutions) Resource Name = Shortcut(819):"%16407%\WinCustomize","LogonStudio.Ink" Property Name = WorkDir Format =
String Value =
MEDC 2006 Register Demo
MEDC 2006 Register Demo Property Name = cmiLangEnableMUI Format = Boolean Value = True
MEDC 2006 Register Demo Property Name = cmiNoHelpFiles Format = Boolean Value = False
MEDC 2006 Register Demo Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
06500730000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
MEDC 2006 Register Demo Property Name = cmiServicePackLevel Format = Integer Value = 2
MEDC 2006 Register Demo Property Name = SrcFileSize Format = Integer Value = 40960
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" BuildOrder = 1000
Disabled = False
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
Arguments Format = String Value = /configure /db temp.sdb /cfg %17%\workstation.inf
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
ComponentVSGUID Format = GUID Value = {3D51CF71-01E0-49C0-9854-B025837DE6EB}
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
ErrorControl Format = Integer Value = 0
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
FilePath Format = String Value = %11%\secedit.exe
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name = Flags
Format = Integer Value = 0
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
Phase Format = Integer Value = 4500
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
Reboot Format = Boolean Value = False
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name = Start
Format = Integer Value = 1
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name =
Timeout Format = Integer Value = 0
MEDC 2006 Register Demo Resource Name = FBGenCmd(819):"%11%\secedit.exe","/configure /db temp.sdb /cfg %17%\workstation.inf" Property Name = Type
Format = Integer Value = 1
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" BuildOrder = 1000 Disabled = False
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = ComponentVSGUID Format = GUID Value = {3D51CF71-
01E0-49C0-9854-B025837DE6EB}
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = DstName Format = String Value = workstation.inf
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = DstPath Format = String Value = %17%
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = NoExpand Format = Boolean Value = False
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = Overwrite Format = Boolean Value = False
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = SrcFileCRC Format = Integer Value = 0
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = SrcFileSize Format = Integer Value = 40960
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = SrcName Format = String Value =
MEDC 2006 Register Demo Resource Name = File(819):"%17%", "workstation.inf" Property Name = SrcPath Format = String Value =
NT Loader
NT Loader Property Name = cmiLangEnableMUI Format = Boolean Value = True
NT Loader Property Name = cmiNoHelpFiles Format = Boolean Value = False
NT Loader Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
06500730000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
NT Loader Property Name = cmiServicePackLevel Format = Integer Value = 2
NT Loader Property Name = SrcFileSize Format = Integer Value = 253952
NT Loader Resource Name = File(16):"%30%", "NTLDR" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-
8F37DBFF2306}
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = DstName Format = String Value = NTLDR
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = DstPath Format = String Value = %30%
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = NoExpand Format = Boolean Value = False
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = Overwrite Format = Boolean Value = False
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = SrcFileCRC Format = Integer Value = 0
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = SrcFileSize Format = Integer Value = 253952
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = SrcName Format = String Value =
NT Loader Resource Name = File(16):"%30%", "NTLDR" Property Name = SrcPath Format = String Value =
NT Loader Resource Name = RawDep(819):"File","c_1252.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","c_1252.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-
8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","c_1252.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","c_1252.nls" Property Name = Value Format = String Value = c_1252.nls
NT Loader Resource Name = RawDep(819):"File","c_437.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","c_437.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-
8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","c_437.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","c_437.nls" Property Name = Value Format = String Value = c_437.nls
NT Loader Resource Name = RawDep(819):"File","ctype.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","ctype.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-
8F37DBFF2306}

NT Loader Resource Name = RawDep(819):"File","ctype.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","ctype.nls" Property Name = Value Format = String Value = ctype.nls
NT Loader Resource Name = RawDep(819):"File","l_intl.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","l_intl.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","l_intl.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","l_intl.nls" Property Name = Value Format = String Value = l_intl.nls
NT Loader Resource Name = RawDep(819):"File","locale.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","locale.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","locale.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","locale.nls" Property Name = Value Format = String Value = locale.nls
NT Loader Resource Name = RawDep(819):"File","sortkey.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","sortkey.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","sortkey.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","sortkey.nls" Property Name = Value Format = String Value = sortkey.nls
NT Loader Resource Name = RawDep(819):"File","sortbls.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","sortbls.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","sortbls.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","sortbls.nls" Property Name = Value Format = String Value = sortbls.nls
NT Loader Resource Name = RawDep(819):"File","unicode.nls" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","unicode.nls" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","unicode.nls" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","unicode.nls" Property Name = Value Format = String Value = unicode.nls
NT Loader Resource Name = RawDep(819):"File","vgaoem.fon" BuildOrder = 1000 Disabled = False
NT Loader Resource Name = RawDep(819):"File","vgaoem.fon" Property Name = ComponentVSGUID Format = GUID Value = {571D44AC-F3BC-4EB4-8E3C-8F37DBFF2306}
NT Loader Resource Name = RawDep(819):"File","vgaoem.fon" Property Name = RawType Format = String Value = File
NT Loader Resource Name = RawDep(819):"File","vgaoem.fon" Property Name = Value Format = String Value = vgaoem.fon
S3 Trio64V+ Property Name = cmiScreenResolution Format = String Value = 1024,768
Security Configuration Engine Command Line Utility
Security Configuration Engine Command Line Utility Property Name = cmiLangEnableMUI Format = Boolean Value = True
Security Configuration Engine Command Line Utility Property Name = cmiNoHelpFiles Format = Boolean Value = False
Security Configuration Engine Command Line Utility Property Name = cmiProtPropList Format = Multi Value = 63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C006500730000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Security Configuration Engine Command Line Utility Property Name = cmiServicePackLevel Format = Integer Value = 2
Security Configuration Engine Command Line Utility Property Name = SrcFileSize Format = Integer Value = 20480
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" BuildOrder = 1000 Disabled = False
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = DstName Format = String Value = secedit.exe
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = DstPath Format = String Value = %11%
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = NoExpand Format = Boolean Value = False
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = Overwrite Format = Boolean Value = False
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = SrcFileCRC Format = Integer Value = 0
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = SrcFileSize Format = Integer Value = 20480
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = SrcName Format = String Value =
Security Configuration Engine Command Line Utility Resource Name = File(819):"%11%", "secedit.exe" Property Name = SrcPath Format = String Value =
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" BuildOrder = 1000 Disabled = False
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = DstName Format = String Value = secedit.chm
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = DstPath Format = String Value = %18%
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = NoExpand Format = Boolean Value = False
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = Overwrite Format = Boolean Value = False
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = SrcFileCRC Format = Integer Value = 0
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = SrcFileSize Format = Integer Value = 16384
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = SrcName Format = String Value =
Security Configuration Engine Command Line Utility Resource Name = File(819):"%18%", "secedit.chm" Property Name = SrcPath Format = String Value =
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","ADVAPI32.dll" BuildOrder = 1000 Disabled = False
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","ADVAPI32.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","ADVAPI32.dll" Property Name = RawType Format = String Value = RawFile
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","ADVAPI32.dll" Property Name = Value Format = String Value = ADVAPI32.dll
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","KERNEL32.dll" BuildOrder = 1000 Disabled = False
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","KERNEL32.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","KERNEL32.dll" Property Name = RawType Format = String Value = RawFile
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","KERNEL32.dll" Property Name = Value Format = String Value = KERNEL32.dll
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","MSVCRT.dll" BuildOrder = 1000 Disabled = False
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","MSVCRT.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","MSVCRT.dll" Property Name = RawType Format = String Value = RawFile
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","MSVCRT.dll" Property Name = Value Format = String Value = MSVCRT.dll
Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SCECLI.dll" BuildOrder = 1000 Disabled = False

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SCECLI.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SCECLI.dll" Property Name = RawType Format = String Value = RawFile

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SCECLI.dll" Property Name = Value Format = String Value = SCECLI.dll

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SHLWAPI.dll" BuildOrder = 1000 Disabled = False

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SHLWAPI.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SHLWAPI.dll" Property Name = RawType Format = String Value = RawFile

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","SHLWAPI.dll" Property Name = Value Format = String Value = SHLWAPI.dll

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USER32.dll" BuildOrder = 1000 Disabled = False

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USER32.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USER32.dll" Property Name = RawType Format = String Value = RawFile

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USER32.dll" Property Name = Value Format = String Value = USER32.dll

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USERENV.dll" BuildOrder = 1000 Disabled = False

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USERENV.dll" Property Name = ComponentVSGUID Format = GUID Value = {CD726853-CAED-4912-95D7-5C4DAE841FFB}

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USERENV.dll" Property Name = RawType Format = String Value = RawFile

Security Configuration Engine Command Line Utility Resource Name = RawDep(819):"RawFile","USERENV.dll" Property Name = Value Format = String Value = USERENV.dll

Security Shell Extension

Security Shell Extension Property Name = cmiLangEnableMUI Format = Boolean Value = True

Security Shell Extension Property Name = cmiNoHelpFiles Format = Boolean Value = False

Security Shell Extension Property Name = cmiProtPropList Format = Multi Value = 63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000

Security Shell Extension Property Name = cmiServicePackLevel Format = Integer Value = 2

Security Shell Extension Property Name = SrcFileSize Format = Integer Value = 61440

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Arguments Format = String Value =

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = DLLInstall Format = Boolean Value = False

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = DLLRegister Format = Boolean Value = True

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = ErrorControl Format = Integer Value = 0

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = FilePath Format = String Value = %11%\rshx32.dll

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Flags Format = Integer Value = 0

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Phase Format = Integer Value = 4500

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Reboot Format = Boolean Value = False

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Start Format = Integer Value = 1

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Timeout Format = Integer Value = 0

Security Shell Extension Resource Name = FBRegDLL(819):"%11%\rshx32.dll" Property Name = Type Format = Integer Value = 2

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = DstName Format = String Value = rshx32.dll

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = DstPath Format = String Value = %11%

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = NoExpand Format = Boolean Value = False

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = Overwrite Format = Boolean Value = False

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = SrcFileCRC Format = Integer Value = 0

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = SrcFileSize Format = Integer Value = 40960

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = SrcName Format = String Value =

Security Shell Extension Resource Name = File(819):"%11%", "rshx32.dll" Property Name = SrcPath Format = String Value =

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = DstName Format = String Value = sceregvl.inf

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = DstPath Format = String Value = %17%

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = NoExpand Format = Boolean Value = False

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = Overwrite Format = Boolean Value = False

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = SrcFileCRC Format = Integer Value = 0

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = SrcFileSize Format = Integer Value = 20480

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = SrcName Format = String Value =

Security Shell Extension Resource Name = File(819):"%17%", "sceregvl.inf" Property Name = SrcPath Format = String Value =

Security Shell Extension Resource Name = RawDep(819):"File","ADVAPI32.DLL" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = RawDep(819):"File","ADVAPI32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = RawDep(819):"File","ADVAPI32.DLL" Property Name = RawType Format = String Value = File

Security Shell Extension Resource Name = RawDep(819):"File","ADVAPI32.DLL" Property Name = Value Format = String Value = ADVAPI32.DLL

Security Shell Extension Resource Name = RawDep(819):"File","AUTHZ.DLL" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = RawDep(819):"File","AUTHZ.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = RawDep(819):"File","AUTHZ.DLL" Property Name = RawType Format = String Value = File

Security Shell Extension Resource Name = RawDep(819):"File","AUTHZ.DLL" Property Name = Value Format = String Value = AUTHZ.DLL

Security Shell Extension Resource Name = RawDep(819):"File","COMCTL32.DLL" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = RawDep(819):"File","COMCTL32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = RawDep(819):"File","COMCTL32.DLL" Property Name = RawType Format = String Value = File

Security Shell Extension Resource Name = RawDep(819):"File","COMCTL32.DLL" Property Name = Value Format = String Value = COMCTL32.DLL

Security Shell Extension Resource Name = RawDep(819):"File","KERNEL32.DLL" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = RawDep(819):"File","KERNEL32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}

Security Shell Extension Resource Name = RawDep(819):"File","KERNEL32.DLL" Property Name = RawType Format = String Value = File

Security Shell Extension Resource Name = RawDep(819):"File","KERNEL32.DLL" Property Name = Value Format = String Value = KERNEL32.DLL

Security Shell Extension Resource Name = RawDep(819):"File","NTDLL.DLL" BuildOrder = 1000 Disabled = False

Security Shell Extension Resource Name = RawDep(819):"File","NTDLL.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}
Security Shell Extension Resource Name = RawDep(819):"File","NTDLL.DLL" Property Name = RawType Format = String Value = File
Security Shell Extension Resource Name = RawDep(819):"File","NTDLL.DLL" Property Name = Value Format = String Value = NTDLL.DLL
Security Shell Extension Resource Name = RawDep(819):"File","SHELL32.DLL" BuildOrder = 1000 Disabled = False
Security Shell Extension Resource Name = RawDep(819):"File","SHELL32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}
Security Shell Extension Resource Name = RawDep(819):"File","SHELL32.DLL" Property Name = RawType Format = String Value = File
Security Shell Extension Resource Name = RawDep(819):"File","SHELL32.DLL" Property Name = Value Format = String Value = SHELL32.DLL
Security Shell Extension Resource Name = RawDep(819):"File","USER32.DLL" BuildOrder = 1000 Disabled = False
Security Shell Extension Resource Name = RawDep(819):"File","USER32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {43EE7B0E-0074-4508-A1EA-E2B0401E024E}
Security Shell Extension Resource Name = RawDep(819):"File","USER32.DLL" Property Name = RawType Format = String Value = File
Security Shell Extension Resource Name = RawDep(819):"File","USER32.DLL" Property Name = Value Format = String Value = USER32.DLL
SJJ Security Policy Fixes
SJJ Security Policy Fixes Property Name = cmiLangEnableMUI Format = Boolean Value = True
SJJ Security Policy Fixes Property Name = cmiNoHelpFiles Format = Boolean Value = False
SJJ Security Policy Fixes Property Name = cmiProtPropList Format = Multi Value =
6306D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
SJJ Security Policy Fixes Property Name = cmiServicePackLevel Format = Integer Value = 2
SJJ Security Policy Fixes Property Name = SrcFileSize Format = Integer Value = 0
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" BuildOrder = 1000 Disabled = False
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Arguments Format = String Value =
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = ComponentVSGUID Format = GUID Value = {263AF9C7-0443-4A41-9D75-EDFB606AC38E}
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = DLLInstall Format = Boolean Value = False
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = DLLRegister Format = Boolean Value = True
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = ErrorControl Format = Integer Value = 0
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = FilePath Format = String Value = %11%lrshx32.dll
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Flags Format = Integer Value = 0
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Phase Format = Integer Value = 4500
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Reboot Format = Boolean Value = False
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Start Format = Integer Value = 1
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Timeout Format = Integer Value = 0
SJJ Security Policy Fixes Resource Name = FBRegDLL(819):"%11%lrshx32.dll" Property Name = Type Format = Integer Value = 2
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" BuildOrder = 1000 Disabled = False
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = ComponentVSGUID Format = GUID Value = {263AF9C7-0443-4A41-9D75-EDFB606AC38E}
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = DstName Format = String Value = scereglv.inf
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = DstPath Format = String Value = %17%
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = NoExpand Format = Boolean Value = False
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = Overwrite Format = Boolean Value = False
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = SrcFileCRC Format = Integer Value = 0
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = SrcFileSize Format = Integer Value = 0
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = SrcName Format = String Value =
SJJ Security Policy Fixes Resource Name = File(819):"%17%","scereglv.inf" Property Name = SrcPath Format = String Value =
SLX Property Name = cmiProtPropList Format = Multi Value =
6306D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D006900500049004400000063006D00690054006100720067006500740042006F006F00740044007200690076006500000063006D006900540061007200670065007400570069006E00440069007200000063006D006900540061007200670065007400570069006C0065007300000063006D00690054006100720067006500740044006F0063006D006900440065007400740069006E0067007300000063006D00690042006F006F0074004100720063005000610074006800000063006D00690042006F006F0074005000610072007400530069007A006500000063006D00690043006C0075007300740065007200530069007A006500000063006D0069004100750074006F005200650066007200650073006800000063006D0069004100750074006F005500700067007200610064006500000063006D0069004100630074006900760061007400650052006500660072006500730068004600610069006C007500720065007300000063006D0069004400650076006900630065004D006F00640065006C00000063006D00690044006500760069006300650052006F006C006500000063006D006900440065007600690063006500530065007200690061006C00000063006D0069004400650076006900630065004C006900630065004C006900630065006E0073006500000063006D006900520075006E00740069006D0065004F0045004D00520065007600000063006D0069004E006F00480065006C007000460069006C006500730047006C006F00620061006C00000063006D0069004E006F0047005500490042006F006F007400000063006D0069004200750069006C0064005000610074006800000063006D00690053004B00550043006F00640065000000Primitive
e: Shlwapi - Security Update KB905915
SLX Property Name = SrcFileSize Format = Integer Value = 249942016
Standard Start Menu Shortcuts
Standard Start Menu Shortcuts Property Name = cmiLangEnableMUI Format = Boolean Value = True
Standard Start Menu Shortcuts Property Name = cmiNoHelpFiles Format = Boolean Value = False
Standard Start Menu Shortcuts Property Name = cmiProtPropList Format = Multi Value =
6306D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Standard Start Menu Shortcuts Property Name = cmiServicePackLevel Format = Integer Value = 2
Standard Start Menu Shortcuts Property Name = SrcFileSize Format = Integer Value = 0
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink"
BuildOrder = 1000 Disabled = False
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = Arguments Format = String Value =
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = ComponentVSGUID Format = GUID Value = {2B339672-0812-4606-A81D-3F1E86F435AF}
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = DstName Format = String Value = Windows Messenger.Ink
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = DstPath Format = String Value = C:\Documents and Settings\All Users\Start Menu\Programs
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = HotKey Format = String Value =
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = IconLocation Format = String Value = ,0
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = Overwrite Format = Boolean Value = False
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = TargetPath Format = String Value = C:\Program Files\Messenger\msmsgs.exe
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = WindowStyle Format = Integer Value = 1
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs","Windows Messenger.Ink" Property Name = WorkDir Format = String Value = %HOMEDRIVE%\HOMEPATH%\
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\All Users\Start Menu\Programs\Accessories","Calculator.Ink"
BuildOrder = 1000 Disabled = False

[illegible]

[illegible]

[illegible]

Standard Start Menu Shortcuts Resource Name = Shortcut(819): "C:\Documents and Settings\All Users\Start Menu\Programs\Accessories\System Tools"; Character Map.Ink Property Name = DstName Format = String Value = Character Map.Ink
Standard Start Menu Shortcuts Resource Name = Shortcut(819): "C:\Documents and Settings\All Users\Start Menu\Programs\Accessories\System Tools"; Character Map.Ink Property Name = DstPath Format = String Value = C:\Documents and Settings\All Users\Start Menu\Programs\Accessories\System Tools

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","On-Screen Keyboard.Ink" Property Name = HotKey Format = String Value =
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","On-Screen Keyboard.Ink" Property Name = IconLocation Format = String Value = ,0
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","On-Screen Keyboard.Ink" Property Name = Overwrite Format = Boolean Value = False
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","On-Screen Keyboard.Ink" Property Name = TargetPath Format = String Value = C:\WINNT\system32\osk.exe
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","On-Screen Keyboard.Ink" Property Name = WindowStyle Format = Integer Value = 1
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","On-Screen Keyboard.Ink" Property Name = WorkDir Format = String Value = %HOMEDRIVE%\HOMEPATH%\n
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" BuildOrder = 1000 Disabled = False
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = Arguments Format = String Value = /start
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = ComponentVSGUID Format = GUID Value = {2B339672-0812-4606-A81D-3F1E86F435AF}
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = DstName Format = String Value = Utility Manager.Ink
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = DstPath Format = String Value = C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = HotKey Format = String Value =
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = IconLocation Format = String Value = ,0
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = Overwrite Format = Boolean Value = False
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = TargetPath Format = String Value = C:\WINNT\system32\utilman.exe
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = WindowStyle Format = Integer Value = 1
Standard Start Menu Shortcuts Resource Name = Shortcut(819):"C:\Documents and Settings\Default User\Start Menu\Programs\Accessories\Accessibility","Utility Manager.Ink" Property Name = WorkDir Format = String Value = %HOMEDRIVE%\HOMEPATH%\n
User Account
User Account Property Name = cmiLangEnableMUI Format = Boolean Value = True
User Account Property Name = cmiNoHelpFiles Format = Boolean Value = False
User Account Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D00690055007300650072004E0061006D0065000000
063006D0069005500730065007200500061007300730077006F0072006400000063006D0069005500730065007200470072006F0075007000000063006D00690
04E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
User Account Property Name = cmiServicePackLevel Format = Integer Value = 2
User Account Property Name = cmiUserGroup Format = Integer Value = 2
User Account Property Name = cmiUserName Format = String Value = Employee
User Account Property Name = cmiUserPassword Format = String Value = password
User Account Property Name = SrcFileSize Format = Integer Value = 0
User Interface Core Property Name = cmiLockTaskBar Format = Boolean Value = True
User Interface Core Property Name = cmiNumOfPrograms Format = Integer Value = 0
User Interface Core Property Name = cmiShowNetworkConnections Format = Boolean Value = False
Visual Basic 6.0 Runtime Library
Visual Basic 6.0 Runtime Library Property Name = cmiLangEnableMUI Format = Boolean Value = True
Visual Basic 6.0 Runtime Library Property Name = cmiNoHelpFiles Format = Boolean Value = False
Visual Basic 6.0 Runtime Library Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Visual Basic 6.0 Runtime Library Property Name = cmiServicePackLevel Format = Integer Value = 2
Visual Basic 6.0 Runtime Library Property Name = SrcFileSize Format = Integer Value = 1396736
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Arguments Format = String Value =
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = ComponentVSGUID Format = GUID Value =
{970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = DLLEntryPoint Format = String Value =
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = DLLInstall Format = Boolean Value = False
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = DLLRegister Format = Boolean Value = True
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = ErrorControl Format = Integer Value = 0
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = FilePath Format = String Value =
%11%\msvbvm60.dll
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Flags Format = Integer Value = 0
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Phase Format = Integer Value = 4500
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Reboot Format = Boolean Value = False
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Start Format = Integer Value = 1
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Timeout Format = Integer Value = 0
Visual Basic 6.0 Runtime Library Resource Name = FBRegDLL(819):"%11%\msvbvm60.dll", "" Property Name = Type Format = Integer Value = 2
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = ComponentVSGUID Format = GUID Value =
{970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = DstName Format = String Value = MSVBVM60.DLL
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = DstPath Format = String Value = %11%\n
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = NoExpand Format = Boolean Value = False
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = Overwrite Format = Boolean Value = False
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = SrcFileCRC Format = Integer Value = 0
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = SrcFileSize Format = Integer Value = 1396736
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = SrcName Format = String Value =
Visual Basic 6.0 Runtime Library Resource Name = File(819):"%11%", "MSVBVM60.DLL" Property Name = SrcPath Format = String Value =
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "ADVAPI32.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = ComponentVSGUID Format = GUID Value =
{970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = RawType Format = String Value = File
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = Value Format = String Value = ADVAPI32.dll
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "comcat.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "comcat.dll" Property Name = ComponentVSGUID Format = GUID Value = {970A9A96-
6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File", "comcat.dll" Property Name = RawType Format = String Value = File

Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","comcat.dll" Property Name = Value Format = String Value = comcat.dll
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","GDI32.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","GDI32.dll" Property Name = ComponentVSGUID Format = GUID Value = {970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","GDI32.dll" Property Name = RawType Format = String Value = File
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","GDI32.dll" Property Name = Value Format = String Value = GDI32.dll
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","KERNEL32.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","KERNEL32.dll" Property Name = ComponentVSGUID Format = GUID Value = {970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","KERNEL32.dll" Property Name = RawType Format = String Value = File
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","KERNEL32.dll" Property Name = Value Format = String Value = KERNEL32.dll
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","ole32.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","ole32.dll" Property Name = ComponentVSGUID Format = GUID Value = {970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","ole32.dll" Property Name = RawType Format = String Value = File
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","ole32.dll" Property Name = Value Format = String Value = ole32.dll
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","OLEAUT32.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","OLEAUT32.dll" Property Name = ComponentVSGUID Format = GUID Value = {970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","OLEAUT32.dll" Property Name = RawType Format = String Value = File
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","OLEAUT32.dll" Property Name = Value Format = String Value = OLEAUT32.dll
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","USER32.dll" BuildOrder = 1000 Disabled = False
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","USER32.dll" Property Name = ComponentVSGUID Format = GUID Value = {970A9A96-6B38-4F18-936E-6AE5CE3572D3}
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","USER32.dll" Property Name = RawType Format = String Value = File
Visual Basic 6.0 Runtime Library Resource Name = RawDep(819):"File","USER32.dll" Property Name = Value Format = String Value = USER32.dll

F:\SLXTEST\LOCKDOWN_DEMO3.SLX is missing the following:

.NET Framework 1.1 - Security Update KB887998
.NET Framework 1.1 - Security Update KB887998 Property Name = cmiLangEnableMUI Format = Boolean Value = True
.NET Framework 1.1 - Security Update KB887998 Property Name = cmiNoHelpFiles Format = Boolean Value = False
.NET Framework 1.1 - Security Update KB887998 Property Name = cmiProtPropList Format = Multi Value = 63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069005100460045004E0075006D00620065007200000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C00650004D00550049000000
.NET Framework 1.1 - Security Update KB887998 Property Name = cmiQFENumber Format = Multi Value = 3800380037003900390038000000
.NET Framework 1.1 - Security Update KB887998 Property Name = cmiServicePackLevel Format = Integer Value = 2
.NET Framework 1.1 - Security Update KB887998 Property Name = SrcFileSize Format = Integer Value = 37617664
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" BuildOrder = 1000 Disabled = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = ComponentVSGUID Format = GUID Value = {ED7BAE88-4DFF-48A5-A599-648E586DC6F2}
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = DLLEntryPoint Format = String Value = UrtOcmProc
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = ErrorControl Format = Integer Value = 0
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = FilePath Format = String Value = %11%\setup\netfxocm.dll
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = GroupName Format = String Value = netfx
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = INFName Format = String Value = netfxocm.inf
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = OCName Format = String Value = netfx
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = Phase Format = Integer Value = 5550
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = Reboot Format = Boolean Value = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = Start Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = Timeout Format = Integer Value = 0
.NET Framework 1.1 - Security Update KB887998 Resource Name = FBOCMgr(819):"%11%\setup\netfxocm.dll","UrtOcmProc","netfx","netfx" Property Name = Type Format = Integer Value = 3
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" BuildOrder = 1000 Disabled = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = ComponentVSGUID Format = GUID Value = {ED7BAE88-4DFF-48A5-A599-648E586DC6F2}
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = DstName Format = String Value = netfxocm.inf
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = DstPath Format = String Value = %10%\inf
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = NoExpand Format = Boolean Value = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = Overwrite Format = Boolean Value = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = SrcFileCRC Format = Integer Value = 0
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = SrcFileSize Format = Integer Value = 1085440
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = SrcName Format = String Value = netfx.inf
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\inf","netfxocm.inf" Property Name = SrcPath Format = String Value =
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\Microsoft.NET\Framework","NETFXSBS10.hkf" BuildOrder = 1000 Disabled = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\Microsoft.NET\Framework","NETFXSBS10.hkf" Property Name = ComponentVSGUID Format = GUID Value = {ED7BAE88-4DFF-48A5-A599-648E586DC6F2}
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\Microsoft.NET\Framework","NETFXSBS10.hkf" Property Name = DstName Format = String Value = NETFXSBS10.hkf
.NET Framework 1.1 - Security Update KB887998 Resource Name = File(819):"%10%\Microsoft.NET\Framework","NETFXSBS10.hkf" Property Name = DstPath Format = String Value = %10%\Microsoft.NET\Framework

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New File" Property Name = RegType Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New File" Property Name = RegValue Format = String Value =
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New File" Property Name = ValueName Format = String Value = New File
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" BuildOrder = 1000 Disabled = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = ComponentVSGUID Format = GUID Value = {ED7BAE88-4DFF-48A5-A599-648E586DC6F2}
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = KeyPath Format = String Value =
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = RegCond Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = RegOp Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = RegType Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = RegValue Format = String Value =
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","New Link Date" Property Name = ValueName Format = String Value = New Link Date
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" BuildOrder = 1000 Disabled = False
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = ComponentVSGUID Format = GUID Value = {ED7BAE88-4DFF-48A5-A599-648E586DC6F2}
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = KeyPath Format = String Value =
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = RegCond Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = RegOp Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = RegType Format = Integer Value = 1
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = RegValue Format = String Value =
.NET Framework 1.1 - Security Update KB887998 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB886904\File 1","Old Link Date" Property Name = ValueName Format = String Value = Old Link Date
Administrator Account Property Name = cmiUserPassword Format = String Value =
Advanced Configuration and Power Interface (ACPI) PC Property Name = cmiHibernateEnable Format = Boolean Value = True
Client for Microsoft Networks
Client for Microsoft Networks Property Name = cmiLangEnableMUI Format = Boolean Value = True
Client for Microsoft Networks Property Name = cmiNoHelpFiles Format = Boolean Value = False
Client for Microsoft Networks Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Client for Microsoft Networks Property Name = cmiServicePackLevel Format = Integer Value = 2
Client for Microsoft Networks Property Name = SrcFileSize Format = Integer Value = 0
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Arguments
Format = String Value = -i %17%\netmscli.inf -c c -i MS_MSCLIENT
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name =
ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = ErrorControl
Format = Integer Value = 0
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = FilePath
Format = String Value = %11%\snetcfg.exe
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Flags
Format = Integer Value = 0
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Phase
Format = Integer Value = 3700
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Reboot
Format = Boolean Value = False
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Start
Format = Integer Value = 1
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Timeout
Format = Integer Value = 0
Client for Microsoft Networks Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-i %17%\netmscli.inf -c c -i MS_MSCLIENT" Property Name = Type
Format = Integer Value = 1
Client for Microsoft Networks Resource Name = RawDep(819):"File","cabinet.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","cabinet.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","cabinet.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","cabinet.dll" Property Name = Value Format = String Value = cabinet.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","clbcatq.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","clbcatq.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","clbcatq.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","clbcatq.dll" Property Name = Value Format = String Value = clbcatq.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","comres.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","comres.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","comres.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","comres.dll" Property Name = Value Format = String Value = comres.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","localspl.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","localspl.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","localspl.dll" Property Name = RawType Format = String Value = File

Client for Microsoft Networks Resource Name = RawDep(819):"File","localspl.dll" Property Name = Value Format = String Value = localspl.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","msvcrt.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","msvcrt.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","msvcrt.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","netmscdi.inf" Property Name = Value Format = String Value = netmscdi.inf
Client for Microsoft Networks Resource Name = RawDep(819):"File","netmscdi.inf" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","netmscdi.inf" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","netmscdi.inf" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","netmscdi.inf" Property Name = Value Format = String Value = netmscdi.inf
Client for Microsoft Networks Resource Name = RawDep(819):"File","pstorec.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","pstorec.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","pstorec.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","pstorec.dll" Property Name = Value Format = String Value = pstorec.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","rsaenh.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","rsaenh.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","rsaenh.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","rsaenh.dll" Property Name = Value Format = String Value = rsaenh.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","snetcfg.exe" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","snetcfg.exe" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","snetcfg.exe" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","snetcfg.exe" Property Name = Value Format = String Value = snetcfg.exe
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolss.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolss.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolss.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolss.dll" Property Name = Value Format = String Value = spoolss.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolsv.exe" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolsv.exe" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolsv.exe" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","spoolsv.exe" Property Name = Value Format = String Value = spoolsv.exe
Client for Microsoft Networks Resource Name = RawDep(819):"File","win32spl.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","win32spl.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","win32spl.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","win32spl.dll" Property Name = Value Format = String Value = win32spl.dll
Client for Microsoft Networks Resource Name = RawDep(819):"File","wshnetbs.dll" BuildOrder = 1000 Disabled = False
Client for Microsoft Networks Resource Name = RawDep(819):"File","wshnetbs.dll" Property Name = ComponentVSGUID Format = GUID Value = {D5B4EE6F-8C9D-40F6-B2D7-17484A6D03F0}
Client for Microsoft Networks Resource Name = RawDep(819):"File","wshnetbs.dll" Property Name = RawType Format = String Value = File
Client for Microsoft Networks Resource Name = RawDep(819):"File","wshnetbs.dll" Property Name = Value Format = String Value = wshnetbs.dll
Computer Browser Service
Computer Browser Service Property Name = cmiLangEnableMUI Format = Boolean Value = True
Computer Browser Service Property Name = cmiNoHelpFiles Format = Boolean Value = False
Computer Browser Service Property Name = cmiProtPropList Format = Multi Value = 63006D006900530065007200760069006300650005000610063006B004C0065007600650006C00000063006D0069004E006F004800650006C007000460069006C006500730000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Computer Browser Service Property Name = cmiServicePackLevel Format = Integer Value = 2
Computer Browser Service Property Name = SrcFileSize Format = Integer Value = 77824
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = DstName Format = String Value = browser.dll
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = DstPath Format = String Value = %11%
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = NoExpand Format = Boolean Value = False
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = Overwrite Format = Boolean Value = False
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = SrcFileSize Format = Integer Value = 77824
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = SrcName Format = String Value =
Computer Browser Service Resource Name = File(819):"%11%", "browser.dll" Property Name = SrcPath Format = String Value =
Computer Browser Service Resource Name = RawDep(819):"File","ADVAPI32.DLL" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name = RawDep(819):"File","ADVAPI32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name = RawDep(819):"File","ADVAPI32.DLL" Property Name = RawType Format = String Value = File
Computer Browser Service Resource Name = RawDep(819):"File","ADVAPI32.DLL" Property Name = Value Format = String Value = ADVAPI32.DLL
Computer Browser Service Resource Name = RawDep(819):"File","KERNEL32.DLL" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name = RawDep(819):"File","KERNEL32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name = RawDep(819):"File","KERNEL32.DLL" Property Name = RawType Format = String Value = File
Computer Browser Service Resource Name = RawDep(819):"File","KERNEL32.DLL" Property Name = Value Format = String Value = KERNEL32.DLL
Computer Browser Service Resource Name = RawDep(819):"File","mrxsmb.sys" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name = RawDep(819):"File","mrxsmb.sys" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name = RawDep(819):"File","mrxsmb.sys" Property Name = RawType Format = String Value = File
Computer Browser Service Resource Name = RawDep(819):"File","mrxsmb.sys" Property Name = Value Format = String Value = mrxsmb.sys
Computer Browser Service Resource Name = RawDep(819):"File","MSVCRT.DLL" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name = RawDep(819):"File","MSVCRT.DLL" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name = RawDep(819):"File","MSVCRT.DLL" Property Name = RawType Format = String Value = File
Computer Browser Service Resource Name = RawDep(819):"File","MSVCRT.DLL" Property Name = Value Format = String Value = MSVCRT.DLL
Computer Browser Service Resource Name = RawDep(819):"File","NETAPI32.DLL" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name = RawDep(819):"File","NETAPI32.DLL" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}

[illegible]

Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","IsDomainMaster" Property Name = ValueName Format = String Value = IsDomainMaster
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = RegCond Format = Integer Value = 1
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = RegOp Format = Integer Value = 1
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = RegType Format = Integer Value = 1
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = RegValue Format = String Value = Auto
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MaintainServerList" Property Name = ValueName Format = String Value = MaintainServerList
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" BuildOrder = 1000 Disabled = False
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = ComponentVSGUID Format = GUID Value = {38EE4320-D18A-4583-9939-FFEBABE07E8C}
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = RegCond Format = Integer Value = 1
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = RegOp Format = Integer Value = 1
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = RegType Format = Integer Value = 4
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = RegValue Format = Integer Value = 6144
Computer Browser Service Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Browser\Parameters","MasterPeriodicity" Property Name = ValueName Format = String Value = MasterPeriodicity
Copy and Compare Tools
Copy and Compare Tools Property Name = cmiLangEnableMUI Format = Boolean Value = True
Copy and Compare Tools Property Name = cmiNoHelpFiles Format = Boolean Value = False
Copy and Compare Tools Property Name = cmiProtPropList Format = Multi Value = 63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C00650007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Copy and Compare Tools Property Name = cmiServicePackLevel Format = Integer Value = 2
Copy and Compare Tools Property Name = SrcFileSize Format = Integer Value = 102400
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = DstName Format = String Value = comp.exe
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = DstPath Format = String Value = %11%
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = NoExpand Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = Overwrite Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = SrcFileCRC Format = Integer Value = 0
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = SrcFileSize Format = Integer Value = 16384
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = SrcName Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "comp.exe" Property Name = SrcPath Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = DstName Format = String Value = diskcomp.com
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = DstPath Format = String Value = %11%
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = NoExpand Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = Overwrite Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = SrcFileCRC Format = Integer Value = 0
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = SrcFileSize Format = Integer Value = 12288
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = SrcName Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcomp.com" Property Name = SrcPath Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = DstName Format = String Value = diskcopy.com
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = DstPath Format = String Value = %11%
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = NoExpand Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = Overwrite Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = SrcFileCRC Format = Integer Value = 0
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = SrcFileSize Format = Integer Value = 8192
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = SrcName Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "diskcopy.com" Property Name = SrcPath Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}

Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = DstName Format = String Value = fc.exe
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = DstPath Format = String Value = %11%
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = NoExpand Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = Overwrite Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = SrcFileCRC Format = Integer Value = 0
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = SrcFileSize Format = Integer Value = 16384
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = SrcName Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "fc.exe" Property Name = SrcPath Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = DstName Format = String Value = replace.exe
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = DstPath Format = String Value = %11%
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = NoExpand Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = Overwrite Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = SrcFileCRC Format = Integer Value = 0
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = SrcFileSize Format = Integer Value = 16384
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = SrcName Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "replace.exe" Property Name = SrcPath Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = DstName Format = String Value = xcopy.exe
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = DstPath Format = String Value = %11%
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = NoExpand Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = Overwrite Format = Boolean Value = False
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = SrcFileCRC Format = Integer Value = 0
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = SrcFileSize Format = Integer Value = 32768
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = SrcName Format = String Value =
Copy and Compare Tools Resource Name = File(819):"%11%", "xcopy.exe" Property Name = SrcPath Format = String Value =
Copy and Compare Tools Resource Name = RawDep(819):"File", "ADVAPI32.dll" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = RawType Format = String Value = File
Copy and Compare Tools Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = Value Format = String Value = ADVAPI32.dll
Copy and Compare Tools Resource Name = RawDep(819):"File", "ifsutil.dll" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = RawDep(819):"File", "ifsutil.dll" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = RawDep(819):"File", "ifsutil.dll" Property Name = RawType Format = String Value = File
Copy and Compare Tools Resource Name = RawDep(819):"File", "ifsutil.dll" Property Name = Value Format = String Value = ifsutil.dll
Copy and Compare Tools Resource Name = RawDep(819):"File", "KERNEL32.dll" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = RawDep(819):"File", "KERNEL32.dll" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = RawDep(819):"File", "KERNEL32.dll" Property Name = RawType Format = String Value = File
Copy and Compare Tools Resource Name = RawDep(819):"File", "KERNEL32.dll" Property Name = Value Format = String Value = KERNEL32.dll
Copy and Compare Tools Resource Name = RawDep(819):"File", "MSVCRT.dll" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = RawDep(819):"File", "MSVCRT.dll" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = RawDep(819):"File", "MSVCRT.dll" Property Name = RawType Format = String Value = File
Copy and Compare Tools Resource Name = RawDep(819):"File", "MSVCRT.dll" Property Name = Value Format = String Value = MSVCRT.dll
Copy and Compare Tools Resource Name = RawDep(819):"File", "ntdll.dll" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = RawDep(819):"File", "ntdll.dll" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = RawDep(819):"File", "ntdll.dll" Property Name = RawType Format = String Value = File
Copy and Compare Tools Resource Name = RawDep(819):"File", "ntdll.dll" Property Name = Value Format = String Value = ntdll.dll
Copy and Compare Tools Resource Name = RawDep(819):"File", "ulib.dll" BuildOrder = 1000 Disabled = False
Copy and Compare Tools Resource Name = RawDep(819):"File", "ulib.dll" Property Name = ComponentVSGUID Format = GUID Value = {C5A6EFBD-B2AB-4106-A5AD-2E7F7141EC8B}
Copy and Compare Tools Resource Name = RawDep(819):"File", "ulib.dll" Property Name = RawType Format = String Value = File
Copy and Compare Tools Resource Name = RawDep(819):"File", "ulib.dll" Property Name = Value Format = String Value = ulib.dll
Enhanced Write Filter
Enhanced Write Filter API (EWF API)
Enhanced Write Filter API (EWF API) Property Name = cmiLangEnableMUI Format = Boolean Value = True
Enhanced Write Filter API (EWF API) Property Name = cmiNoHelpFiles Format = Boolean Value = False
Enhanced Write Filter API (EWF API) Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C00
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Enhanced Write Filter API (EWF API) Property Name = cmiServicePackLevel Format = Integer Value = 2
Enhanced Write Filter API (EWF API) Property Name = SrcFileSize Format = Integer Value = 12288
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" BuildOrder = 1000 Disabled = False
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = ComponentVSGUID Format = GUID Value = {A57DCB51-4BBD-4240-8AE8-C1AFBFB797EA}
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = DstName Format = String Value = ewfapi.dll
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = DstPath Format = String Value = %11%
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = NoExpand Format = Boolean Value = False
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = Overwrite Format = Boolean Value = False
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = SrcFileSize Format = Integer Value = 12288
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = SrcName Format = String Value =
Enhanced Write Filter API (EWF API) Resource Name = File(819):"%11%", "ewfapi.dll" Property Name = SrcPath Format = String Value =
Enhanced Write Filter API (EWF API) Resource Name = RawDep(819):"File", "ewf.sys" BuildOrder = 1000 Disabled = False
Enhanced Write Filter API (EWF API) Resource Name = RawDep(819):"File", "ewf.sys" Property Name = ComponentVSGUID Format = GUID Value = {A57DCB51-4BBD-4240-8AE8-C1AFBFB797EA}
Enhanced Write Filter API (EWF API) Resource Name = RawDep(819):"File", "ewf.sys" Property Name = RawType Format = String Value = File
Enhanced Write Filter API (EWF API) Resource Name = RawDep(819):"File", "ewf.sys" Property Name = Value Format = String Value = ewf.sys
Enhanced Write Filter Property Name = cmiConcordanceID Format = String Value = ewf.inf.DefaultInstall
Enhanced Write Filter Property Name = cmiLangEnableMUI Format = Boolean Value = True
Enhanced Write Filter Property Name = cmiNoHelpFiles Format = Boolean Value = False
Enhanced Write Filter Property Name = cmiProtPropList Format = Multi Value =
63006D00690043006F006E0063006F007200640061006E00630065004900440000004F0056004C006500760065006C000000500056004400690073006B000000
0500506005006100720074000000500056004400690073006B005400790070006500000050005600540079007000650000005000560043006F006E006600690
067007300000045007700660045006E00610062006C0065000000500056004F007000740069006D0069007A006500000045006E00610062006C0065004C0061
007A0079005700720069007400650000004F005600530069007A006500000063006D006900530065007200760069006300650050006100630068004C00650076

```
006506C000000630D06D9004E006F00A480065006C007000460069006C0065007300000063006D069004C0061006E00E00670045006E00610062006C006500  
4D00550049000000  
Enhanced Write Filter Property Name = cmiServicePackLevel Format = Integer Value = 2  
Enhanced Write Filter Property Name = EnableLazyWrite Format = Multi Value = 30000000  
Enhanced Write Filter Property Name = EwfEnable Format = Multi Value = 31000000  
Enhanced Write Filter Property Name = OVLLevel Format = Integer Value = 1  
Enhanced Write Filter Property Name = OSVSize Format = Integer Value = 0  
Enhanced Write Filter Property Name = PVConfigs Format = Integer Value = 1  
Enhanced Write Filter Property Name = PVDiskFormat = Multi Value = 30000000  
Enhanced Write Filter Property Name = PVDiskType Format = Multi Value = 30000000  
Enhanced Write Filter Property Name = PVOptimize Format = Multi Value = 30000000  
Enhanced Write Filter Property Name = PVPart Format = Multi Value = 31000000  
Enhanced Write Filter Property Name = PVType Format = Multi Value = 31000000  
Enhanced Write Filter Property Name = SrcFileSize Format = Integer Value = 94208  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Arguments Format = String Value =  
{E5C29306-F725-4ECE-8D26-4C7548883086}  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = ComponentVSGUID Format = GUID Value =  
ConfigureEwf  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = DLLInstall Format = Boolean Value = False  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = DLLRegister Format = Boolean Value = False  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = ErrorControl Format = Integer Value = 0  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = FilePath Format = String Value = %11%ewfdll.dll  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Flags Format = Integer Value = 0  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Phase Format = Integer Value = 65520  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Reboot Format = Boolean Value = True  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Start Format = Integer Value = 1  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Timeout Format = Integer Value = 0  
Enhanced Write Filter Resource Name = FBRegDLL(819):"%11%ewfdll.dll","ConfigureEwf" Property Name = Type Format = Integer Value = 2  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-  
8D26-4C7548883086}  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = DstName Format = String Value = ewfdll.dll  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = DstPath Format = String Value = %11%  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = NoExpand Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = Overwrite Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = SrcFileCRC Format = Integer Value = 0  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = SrcFileSize Format = Integer Value = 32768  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = SrcName Format = String Value =  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfdll.dll" Property Name = SrcPath Format = String Value =  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-  
8D26-4C7548883086}  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = DstName Format = String Value = ewfinit.dll  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = DstPath Format = String Value = %11%  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = NoExpand Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = Overwrite Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = SrcFileCRC Format = Integer Value = 0  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = SrcFileSize Format = Integer Value = 8192  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = SrcName Format = String Value =  
Enhanced Write Filter Resource Name = File(819):"%11%", "ewfinit.dll" Property Name = SrcPath Format = String Value =  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-  
8D26-4C7548883086}  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = DstName Format = String Value = ewf.sys  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = DstPath Format = String Value = %12%  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = NoExpand Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = Overwrite Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = SrcFileCRC Format = Integer Value = 0  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = SrcFileSize Format = Integer Value = 49152  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = SrcName Format = String Value = ewf.sys  
Enhanced Write Filter Resource Name = File(819):"%12%", "ewf.sys" Property Name = SrcPath Format = String Value =  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-8D26-  
4C7548883086}  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = DstName Format = String Value = ewf.in  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = DstPath Format = String Value = %17%  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = NoExpand Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = Overwrite Format = Boolean Value = False  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = SrcFileCRC Format = Integer Value = 0  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = SrcFileSize Format = Integer Value = 4096  
Enhanced Write Filter Resource Name = File(819):"%17%", "ewf.in" Property Name = SrcName Format = String Value =  
Enhanced Write Filter Resource Name = RawDep(819):"File","ADVAPI32.dll" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = RawDep(819):"File","ADVAPI32.dll" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-  
4ECE-8D26-4C7548883086}  
Enhanced Write Filter Resource Name = RawDep(819):"File","ADVAPI32.dll" Property Name = RawType Format = String Value = File  
Enhanced Write Filter Resource Name = RawDep(819):"File","ADVAPI32.dll" Property Name = Value Format = String Value = ADVAPI32.dll  
Enhanced Write Filter Resource Name = RawDep(819):"File","certclas.inf" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = RawDep(819):"File","certclas.inf" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-  
8D26-4C7548883086}  
Enhanced Write Filter Resource Name = RawDep(819):"File","certclas.inf" Property Name = RawType Format = String Value = File  
Enhanced Write Filter Resource Name = RawDep(819):"File","certclas.inf" Property Name = Value Format = String Value = certclas.inf  
Enhanced Write Filter Resource Name = RawDep(819):"File","ftdisk.sys" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = RawDep(819):"File","ftdisk.sys" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-  
8D26-4C7548883086}  
Enhanced Write Filter Resource Name = RawDep(819):"File","ftdisk.sys" Property Name = RawType Format = String Value = File  
Enhanced Write Filter Resource Name = RawDep(819):"File","ftdisk.sys" Property Name = Value Format = String Value = ftdisk.sys  
Enhanced Write Filter Resource Name = RawDep(819):"File","KERNEL32.dll" BuildOrder = 1000 Disabled = False  
Enhanced Write Filter Resource Name = RawDep(819):"File","KERNEL32.dll" Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-  
4ECE-8D26-4C7548883086}  
Enhanced Write Filter Resource Name = RawDep(819):"File","KERNEL32.dll" Property Name = RawType Format = String Value = File
```

[illegible]

Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF","Type" Property Name = RegValue
Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF","Type" Property Name =
ValueName Format = String Value = Type
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA" BuildOrder = 1000 Disabled =
False
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA" Property Name =
ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-8D26-4C7548883086}
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA" Property Name = KeyPath
Format = String Value = HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA" Property Name = RegCond
Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA" Property Name = RegOp
Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\FBA" Property Name = RegType
Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters" BuildOrder = 1003
Disabled = False
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters" Property Name =
ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-8D26-4C7548883086}
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters" Property Name =
KeyPath Format = String Value = HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters" Property Name =
RegCond Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters" Property Name =
RegOp Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters" Property Name =
RegType Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected" BuildOrder =
1004 Disabled = False
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected" Property
Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-8D26-4C7548883086}
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected" Property
Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected

Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected" Property
Name = RegCond Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected" Property
Name = RegOp Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected" Property
Name = RegType Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0"
BuildOrder = 1005 Disabled = False
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0"
Property Name = ComponentVSGUID Format = GUID Value = {E5C29306-F725-4ECE-8D26-4C7548883086}
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0"
Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0"
Property Name = RegCond Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0"
Property Name = RegOp Format = Integer Value = 1
Enhanced Write Filter Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\System\CurrentControlSet\Services\EWF\Parameters\Protected\Volume0"
Property Name = RegType Format = Integer Value = 1
EWF NTLDR
EWF NTLDR Property Name = cmiLangEnableMUI Format = Boolean Value = True
EWF NTLDR Property Name = cmiNoHelpFiles Format = Boolean Value = False
EWF NTLDR Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C00
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
EWF NTLDR Property Name = cmiServicePackLevel Format = Integer Value = 2
EWF NTLDR Property Name = SrcFileSize Format = Integer Value = 270336
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-
BCE3D6C0E2DA}
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = DstName Format = String Value = ntldr
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = DstPath Format = String Value = %30%
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = NoExpand Format = Boolean Value = False
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = Overwrite Format = Boolean Value = False
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = SrcFileCRC Format = Integer Value = 0
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = SrcFileSize Format = Integer Value = 270336
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = SrcName Format = String Value = ewfntldr
EWF NTLDR Resource Name = File(819):"%30%", "ntldr" Property Name = SrcPath Format = String Value =
EWF NTLDR Resource Name = RawDep(819):"File","c_1252.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","c_1252.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-
BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","c_1252.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","c_1252.nls" Property Name = Value Format = String Value = c_1252.nls
EWF NTLDR Resource Name = RawDep(819):"File","c_437.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","c_437.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-
BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","c_437.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","c_437.nls" Property Name = Value Format = String Value = c_437.nls
EWF NTLDR Resource Name = RawDep(819):"File","ctype.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","ctype.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-
BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","ctype.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","ctype.nls" Property Name = Value Format = String Value = ctype.nls
EWF NTLDR Resource Name = RawDep(819):"File","l_intl.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","l_intl.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-
BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","l_intl.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","l_intl.nls" Property Name = Value Format = String Value = l_intl.nls
EWF NTLDR Resource Name = RawDep(819):"File","locale.nls" BuildOrder = 1000 Disabled = False

EWF NTLDR Resource Name = RawDep(819):"File","locale.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","locale.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","locale.nls" Property Name = Value Format = String Value = locale.nls
EWF NTLDR Resource Name = RawDep(819):"File","sortkey.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","sortkey.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","sortkey.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","sortkey.nls" Property Name = Value Format = String Value = sortkey.nls
EWF NTLDR Resource Name = RawDep(819):"File","sorttbls.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","sorttbls.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","sorttbls.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","sorttbls.nls" Property Name = Value Format = String Value = sorttbls.nls
EWF NTLDR Resource Name = RawDep(819):"File","unicode.nls" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","unicode.nls" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","unicode.nls" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","unicode.nls" Property Name = Value Format = String Value = unicode.nls
EWF NTLDR Resource Name = RawDep(819):"File","vgaom.fon" BuildOrder = 1000 Disabled = False
EWF NTLDR Resource Name = RawDep(819):"File","vgaom.fon" Property Name = ComponentVSGUID Format = GUID Value = {3F9EEDD3-1A85-4A8A-A738-BCE3D6C0E2DA}
EWF NTLDR Resource Name = RawDep(819):"File","vgaom.fon" Property Name = RawType Format = String Value = File
EWF NTLDR Resource Name = RawDep(819):"File","vgaom.fon" Property Name = Value Format = String Value = vgaom.fon
EWFNET Test
EWFNET Test Property Name = cmiLangEnableMUI Format = Boolean Value = True
EWFNET Test Property Name = cmiNoHelpFiles Format = Boolean Value = False
EWFNET Test Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C00
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
EWFNET Test Property Name = cmiServicePackLevel Format = Integer Value = 2
EWFNET Test Property Name = SrcFileSize Format = Integer Value = 221184
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" BuildOrder = 1000 Disabled = False
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = ComponentVSGUID Format = GUID Value = {CAFFBE01-26A7-4225-AEF9-75F436E2CA8B}
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = DstName Format = String Value = EWFAPIC.dll
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = DstPath Format = String Value = %11%
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = NoExpand Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = Overwrite Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = SrcFileCRC Format = Integer Value = 0
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = SrcFileSize Format = Integer Value = 8192
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = SrcName Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "EWFAPIC.dll" Property Name = SrcPath Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" BuildOrder = 1000 Disabled = False
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = ComponentVSGUID Format = GUID Value = {CAFFBE01-26A7-4225-AEF9-75F436E2CA8B}
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = DstName Format = String Value = EWFAPITest.exe
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = DstPath Format = String Value = %11%
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = NoExpand Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = Overwrite Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = SrcFileCRC Format = Integer Value = 0
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = SrcFileSize Format = Integer Value = 45056
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = SrcName Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "EWFAPITest.exe" Property Name = SrcPath Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" BuildOrder = 1000 Disabled = False
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = ComponentVSGUID Format = GUID Value = {CAFFBE01-26A7-4225-AEF9-75F436E2CA8B}
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = DstName Format = String Value = EWFNET.dll
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = DstPath Format = String Value = %11%
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = NoExpand Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = Overwrite Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = SrcFileCRC Format = Integer Value = 0
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = SrcFileSize Format = Integer Value = 159744
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = SrcName Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "EWFNET.dll" Property Name = SrcPath Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" BuildOrder = 1000 Disabled = False
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = ComponentVSGUID Format = GUID Value = {CAFFBE01-26A7-4225-AEF9-75F436E2CA8B}
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = DstName Format = String Value = XPEPMClass.dll
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = DstPath Format = String Value = %11%
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = NoExpand Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = Overwrite Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = SrcFileCRC Format = Integer Value = 0
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = SrcFileSize Format = Integer Value = 8192
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = SrcName Format = String Value =
EWFNET Test Resource Name = File(819):"%11%", "XPEPMClass.dll" Property Name = SrcPath Format = String Value =
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" BuildOrder = 1000 Disabled = False
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = ComponentVSGUID Format = GUID Value = {CAFFBE01-26A7-4225-AEF9-75F436E2CA8B}
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = DstName Format = String Value = resmany.dat
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = DstPath Format = String Value = %24%
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = NoExpand Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = Overwrite Format = Boolean Value = False
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = SrcFileCRC Format = Integer Value = 0
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = SrcFileSize Format = Integer Value = 0
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = SrcName Format = String Value =
EWFNET Test Resource Name = File(819):"%24%", "resmany.dat" Property Name = SrcPath Format = String Value =
Explorer shell
Explorer shell Property Name = cmiLangEnableMUI Format = Boolean Value = True
Explorer shell Property Name = cmiNoHelpFiles Format = Boolean Value = False
Explorer shell Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069005300680065006C006C00500061007400680

0000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000

Explorer shell Property Name = cmiServicePackLevel Format = Integer Value = 2

Explorer shell Property Name = cmiShellPath Format = String Value = Explorer.exe

Explorer shell Property Name = SrcFileSize Format = Integer Value = 0

Explorer shell Resource Name = RawDep(819):"File","explorer.exe" BuildOrder = 1000 Disabled = False

Explorer shell Resource Name = RawDep(819):"File","explorer.exe" Property Name = ComponentVSGUID Format = GUID Value = {1F44EF6F-8C48-446D-88E9-DE012B942694}

Explorer shell Resource Name = RawDep(819):"File","explorer.exe" Property Name = RawType Format = String Value = File

Explorer shell Resource Name = RawDep(819):"File","explorer.exe" Property Name = Value Format = String Value = explorer.exe

Explorer shell Resource Name = RawDep(819):"File","xpsp1res.dll" BuildOrder = 1000 Disabled = False

Explorer shell Resource Name = RawDep(819):"File","xpsp1res.dll" Property Name = ComponentVSGUID Format = GUID Value = {E987B872-2E93-48BC-B350-6BA44F82F241}

Explorer shell Resource Name = RawDep(819):"File","xpsp1res.dll" Property Name = RawType Format = String Value = File

Explorer shell Resource Name = RawDep(819):"File","xpsp1res.dll" Property Name = Value Format = String Value = xpsp1res.dll

File Sharing - Security Update KB896422

File Sharing - Security Update KB896422 Property Name = cmiLangEnableMUI Format = Boolean Value = True

File Sharing - Security Update KB896422 Property Name = cmiNoHelpFiles Format = Boolean Value = False

File Sharing - Security Update KB896422 Property Name = cmiProtPropList Format = Multi Value =

63006D0069005100460045004E0075006D00620065007200000063006D00690053006500720076006900630065005000610063006B004C006500760065006C0000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000

File Sharing - Security Update KB896422 Property Name = cmiQFENumber Format = Multi Value =

38003900360034003200320000003800380038003300330032000000

File Sharing - Security Update KB896422 Property Name = cmiServicePackLevel Format = Integer Value = 2

File Sharing - Security Update KB896422 Property Name = SrcFileSize Format = Integer Value = 528384

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" BuildOrder = 1000 Disabled = False

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Arguments Format = String Value = -I %17%\netsrv.inf -c s -i MS_SERVER

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = ErrorControl Format = Integer Value = 0

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = FilePath Format = String Value = %11%\snetcfg.exe

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Flags Format = Integer Value = 0

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Phase Format = Integer Value = 5600

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Reboot Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Start Format = Integer Value = 1

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Timeout Format = Integer Value = 0

File Sharing - Security Update KB896422 Resource Name = FBGenCmd(819):"%11%\snetcfg.exe",-I %17%\netsrv.inf -c s -i MS_SERVER" Property Name = Type Format = Integer Value = 1

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" BuildOrder = 1000 Disabled = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = DstName Format = String Value = srvsvc.dll

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = DstPath Format = String Value = %11%

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = NoExpand Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = Overwrite Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = SrcFileCRC Format = Integer Value = 0

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = SrcFileSize Format = Integer Value = 98304

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = SrcName Format = String Value = 888302_srvsvc.dll

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "srvsvc.dll" Property Name = SrcPath Format = String Value =

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" BuildOrder = 1000 Disabled = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = DstName Format = String Value = xactsrv.dll

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = DstPath Format = String Value = %11%

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = NoExpand Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = Overwrite Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = SrcFileCRC Format = Integer Value = 0

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = SrcFileSize Format = Integer Value = 94208

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = SrcName Format = String Value =

File Sharing - Security Update KB896422 Resource Name = File(16):"%11%", "xactsrv.dll" Property Name = SrcPath Format = String Value =

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" BuildOrder = 1000 Disabled = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = DstName Format = String Value = srv.sys

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = DstPath Format = String Value = %12%

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = NoExpand Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = Overwrite Format = Boolean Value = False

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = SrcFileCRC Format = Integer Value = 0

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = SrcFileSize Format = Integer Value = 335872

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = SrcName Format = String Value = 896422_srv.sys

File Sharing - Security Update KB896422 Resource Name = File(16):"%12%", "srv.sys" Property Name = SrcPath Format = String Value =

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","ADVAPI32.dll" BuildOrder = 1000 Disabled = False

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","ADVAPI32.dll" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","ADVAPI32.dll" Property Name = RawType Format = String Value = File

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","ADVAPI32.dll" Property Name = Value Format = String Value = ADVAPI32.dll

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","browser.dll" BuildOrder = 1000 Disabled = False

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","browser.dll" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","browser.dll" Property Name = RawType Format = String Value = File

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","browser.dll" Property Name = Value Format = String Value = browser.dll

File Sharing - Security Update KB896422 Resource Name = RawDep(819):"File","HAL.dll" BuildOrder = 1000 Disabled = False

[illegible]

[illegible]

[illegible]

```
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB888302\File 1", "Old Link Date" Property Name = RegType Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB888302\File 1", "Old Link Date" Property Name = RegValue Format = String Value =
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB888302\File 1", "Old Link Date" Property Name = ValueName Format = String Value = Old Link Date
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422", "Backup Dir" BuildOrder = 1000 Disabled = False
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422", "Backup Dir" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}
```

[illegible]

```
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "New Link Date" Property Name = 1000 Disabled = False
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "New Link Date" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "New Link Date" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "New Link Date" Property Name = RegCond Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" BuildOrder = 1000 Disabled = False
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" Property Name = RegOp Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "New Link Date" Property Name = RegType Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" Property Name = RegValue Format = String Value =
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "New Link Date" Property Name = ValueName Format = String Value = New Link Date
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" Property Name = RegVal Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" Property Name = RegType Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" Property Name = RegValue Format = String Value =
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Hotfix\KB896422\File 1", "Old Link Date" Property Name = RegOp Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" BuildOrder = 1000 Disabled = False
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = ComponentVSGUID Format = GUID Value = {8D0AC3C9-5D7B-475E-AD08-C438CB7826DD}
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = RegCond Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = RegOp Format = Integer Value = 1
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = RegType Format = Integer Value = 4
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = RegValue Format = Integer Value = 0
File Sharing - Security Update KB896422 Resource Name = RegKey(819): "HKEY_LOCAL_MACHINE\SYSTEM\FBAIRegMigrate\HKLM\System\CurrentControlSet\Control\Lsa", "ForceGuest" Property Name = ValueName Format = String Value = ForceGuest
FrontMotion (SJJ Embedded Micro Solutions)
FrontMotion (SJJ Embedded Micro Solutions) Property Name = cmiLangEnableMUI Format = Boolean Value = True
FrontMotion (SJJ Embedded Micro Solutions) Property Name = cmiNoHelpFiles Format = Boolean Value = False
FrontMotion (SJJ Embedded Micro Solutions) Property Name = cmiPropListFormat = Multi Value = 63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065006400550049000000
FrontMotion (SJJ Embedded Micro Solutions) Property Name = cmiServicePackLevel Format = Integer Value = 2
FrontMotion (SJJ Embedded Micro Solutions) Property Name = SrcFileSize Format = Integer Value = 1511424
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" BuildOrder = 1000 Disabled = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = ComponentVSGUID Format = GUID Value = {1992C92B-D87E-4F35-832B-16469E046A71}
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = DstName Format = String Value = FMLogin.cpl
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = DstPath Format = String Value = %11%
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = NoExpand Format = Boolean Value = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = Overwrite Format = Boolean Value = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = SrcFileCRC Format = Integer Value = 0
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = SrcFileSize Format = Integer Value = 483328
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = SrcName Format = String Value =
FMLogin.cpl
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.cpl" Property Name = SrcPath Format = String Value =
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" BuildOrder = 1000 Disabled = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = ComponentVSGUID Format = GUID Value = {1992C92B-D87E-4F35-832B-16469E046A71}
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = DstName Format = String Value = FMLogin.dll
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = DstPath Format = String Value = %11%
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = NoExpand Format = Boolean Value = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = Overwrite Format = Boolean Value = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = SrcFileCRC Format = Integer Value = 0
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = SrcFileSize Format = Integer Value = 401408
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = SrcName Format = String Value = FMLogin.dll
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = File(819): "%11%", "FMLogin.dll" Property Name = SrcPath Format = String Value =
```

[illegible]

[illegible]

FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
BuildOrder = 1000 Disabled = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = ComponentVSGUID Format = GUID Value = {1992C92B-DB7E-4F35-832B-16469E046A71}
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = RegCond Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = RegOp Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = RegType Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = RegValue Format = String Value = C:\Program Files\FrontMotion Login\Themes\
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\FrontMotion\FMLogin","ThemeDir"
Property Name = ValueName Format = String Value = ThemeDir
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" BuildOrder = 1000 Disabled = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = ComponentVSGUID Format = GUID Value = {1992C92B-DB7E-4F35-832B-16469E046A71}
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = RegCond Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = RegOp Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = RegType Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = RegValue Format = String Value = FMLogin.dll
FrontMotion (SJJ Embedded Micro Solutions) Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
NT\CurrentVersion\Winlogon","GinaDLL" Property Name = ValueName Format = String Value = GinaDLL
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" BuildOrder = 1000
Disabled = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
ComponentVSGUID Format = GUID Value = {1992C92B-DB7E-4F35-832B-16469E046A71}
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
RegCond Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
RegOp Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
RegType Format = Integer Value = 4
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
RegValue Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.cpl" Property Name =
ValueName Format = String Value = C:\WINDOWS\system32\FMLogin.cpl
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" BuildOrder = 1000
Disabled = False
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
ComponentVSGUID Format = GUID Value = {1992C92B-DB7E-4F35-832B-16469E046A71}
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
RegCond Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
RegOp Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
RegType Format = Integer Value = 4
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
RegValue Format = Integer Value = 1
FrontMotion (SJJ Embedded Micro Solutions) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\SharedDlls","C:\WINDOWS\system32\FMLogin.dll" Property Name =
ValueName Format = String Value = C:\WINDOWS\system32\FMLogin.dll
Message Queuing (MSMQ) Core
Message Queuing (MSMQ) Core Property Name = cmiLangEnableMUI Format = Boolean Value = True
Message Queuing (MSMQ) Core Property Name = cmiNoHelpFiles Format = Boolean Value = False
Message Queuing (MSMQ) Core Property Name = cmiProtPropList Format = Multi Value =
5400690070000000530069007A00650041007000700072006F00780069006D006100740069006F006E000000490063006F006E0049006E006400650078000000
50006100720065006E00740000004D00790055006E0069006E007300740061006C006C00000063006D006900530065007200760069006300650050006100630
06B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E006
10062006C0065004D00550049000000
Message Queuing (MSMQ) Core Property Name = cmiServicePackLevel Format = Integer Value = 2
Message Queuing (MSMQ) Core Property Name = IconIndex Format = String Value = *
Message Queuing (MSMQ) Core Property Name = MyUninstall Format = String Value =
Message Queuing (MSMQ) Core Property Name = Parent Format = String Value = msmq_Common

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","CategoryMessageFile" Property Name = KeyPath
Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","CategoryMessageFile" Property Name = RegCond
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","CategoryMessageFile" Property Name = RegOp
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","CategoryMessageFile" Property Name = RegType
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","CategoryMessageFile" Property Name = RegValue
Format = String Value = %11%\MQUtil.dll
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","CategoryMessageFile" Property Name =
ValueName Format = String Value = CategoryMessageFile
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" BuildOrder = 1000 Disabled =
False
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name =
ComponentVSGUID Format = GUID Value = {00C39E52-A266-4239-829B-C64A3C1A5CB1}
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name = KeyPath
Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name = RegCond
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name = RegOp
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name = RegType
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name = RegValue
Format = String Value = %11%\MQUtil.dll
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","EventMessageFile" Property Name = ValueName
Format = String Value = EventMessageFile
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" BuildOrder = 1000 Disabled =
False
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name =
ComponentVSGUID Format = GUID Value = {00C39E52-A266-4239-829B-C64A3C1A5CB1}
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name = KeyPath Format
= String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name = RegCond
Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name = RegOp Format
= Integer Value = 1
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name = RegType
Format = Integer Value = 4
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name = RegValue
Format = Integer Value = 7
Message Queuing (MSMQ) Core Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Eventlog\Application\MSMQ","TypesSupported" Property Name = ValueName
Format = String Value = TypesSupported
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" BuildOrder = 1000 Disabled = False
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ComponentVSGUID Format = GUID Value = {00C39E52-A266-4239-
829B-C64A3C1A5CB1}
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = Dependencies Format = Multi Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ErrorControl Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = LoadOrderGroup Format = String Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = Password Format = String Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ServiceBinary Format = String Value = %12%\mqac.sys
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ServiceDescription Format = String Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ServiceDisplayName Format = String Value = MSMQ access control
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ServiceName Format = String Value = MQAC
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = ServiceType Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = StartName Format = String Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MQAC" Property Name = StartType Format = Integer Value = 3
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" BuildOrder = 1000 Disabled = False
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ComponentVSGUID Format = GUID Value = {00C39E52-A266-4239-
829B-C64A3C1A5CB1}
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = Dependencies Format = Multi Value =
4D00510041004300000052004D00430041005300540000004C0061006E006D0061006E0053006500720076006500720000004E0074004C006D0053007300700
00000530061006D005300730000005200500043005300530000004D0053004400540043000000
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ErrorControl Format = Integer Value = 1
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = LoadOrderGroup Format = String Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = Password Format = String Value =
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ServiceBinary Format = String Value = %11%\mqsvc.exe
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ServiceDescription Format = String Value = Provides a
communications infrastructure for distributed, asynchronous messaging applications.
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ServiceDisplayName Format = String Value = Message Queuing

Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ServiceName Format = String Value = MSMQ
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = ServiceType Format = Integer Value = 16
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = StartName Format = String Value = LocalSystem
Message Queuing (MSMQ) Core Resource Name = Service(819):"MSMQ" Property Name = StartType Format = Integer Value = 2
Netbios Driver
Netbios Driver Property Name = cmiLangEnableMUI Format = Boolean Value = True
Netbios Driver Property Name = cmiNoHelpFiles Format = Boolean Value = False
Netbios Driver Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Netbios Driver Property Name = cmiServicePackLevel Format = Integer Value = 2
Netbios Driver Property Name = SrcFileSize Format = Integer Value = 45056
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Arguments Format = String
Value = -I %17%\netnb.inf -c s -i MS_NETBIOS
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = ComponentVSGUID Format =
GUID Value = {E06BA3C7-2785-44FA-9F7F-E77CD909BB31}
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = ErrorControl Format = Integer
Value = 0
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = FilePath Format = String Value
= %11%\snetcfg.exe
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Flags Format = Integer Value
= 0
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Phase Format = Integer Value
= 3600
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Reboot Format = Boolean
Value = False
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Start Format = Integer Value =
1
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Timeout Format = Integer
Value = 0
Netbios Driver Resource Name = FBGenCmd(819):"%11%\snetcfg.exe", "-I %17%\netnb.inf -c s -i MS_NETBIOS" Property Name = Type Format = Integer Value =
1
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-9F7F-
E77CD909BB31}
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = DstName Format = String Value = wshnetbs.dll
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = DstPath Format = String Value = %11%
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = NoExpand Format = Boolean Value = False
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = Overwrite Format = Boolean Value = False
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = SrcFileSize Format = Integer Value = 8192
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = SrcName Format = String Value =
Netbios Driver Resource Name = File(819):"%11%", "wshnetbs.dll" Property Name = SrcPath Format = String Value =
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-9F7F-
E77CD909BB31}
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = DstName Format = String Value = netbios.sys
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = DstPath Format = String Value = %12%
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = NoExpand Format = Boolean Value = False
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = Overwrite Format = Boolean Value = False
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = SrcFileCRC Format = Integer Value = 0
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = SrcFileSize Format = Integer Value = 36864
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = SrcName Format = String Value =
Netbios Driver Resource Name = File(819):"%12%", "netbios.sys" Property Name = SrcPath Format = String Value =
Netbios Driver Resource Name = RawDep(819):"File", "ADVAPI32.dll" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-
9F7F-E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "ADVAPI32.dll" Property Name = Value Format = String Value = ADVAPI32.dll
Netbios Driver Resource Name = RawDep(819):"File", "KERNEL32.dll" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "KERNEL32.dll" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-
9F7F-E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "KERNEL32.dll" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "KERNEL32.dll" Property Name = Value Format = String Value = KERNEL32.dll
Netbios Driver Resource Name = RawDep(819):"File", "MSVCRT.dll" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "MSVCRT.dll" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-
9F7F-E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "MSVCRT.dll" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "MSVCRT.dll" Property Name = Value Format = String Value = MSVCRT.dll
Netbios Driver Resource Name = RawDep(819):"File", "netmscli.inf" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "netmscli.inf" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-9F7F-
E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "netmscli.inf" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "netmscli.inf" Property Name = Value Format = String Value = netmscli.inf
Netbios Driver Resource Name = RawDep(819):"File", "netnb.inf" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "netnb.inf" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-9F7F-
E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "netnb.inf" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "netnb.inf" Property Name = Value Format = String Value = netnb.inf
Netbios Driver Resource Name = RawDep(819):"File", "ntdll.dll" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "ntdll.dll" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-9F7F-
E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "ntdll.dll" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "ntdll.dll" Property Name = Value Format = String Value = ntdll.dll
Netbios Driver Resource Name = RawDep(819):"File", "snetcfg.exe" BuildOrder = 1000 Disabled = False
Netbios Driver Resource Name = RawDep(819):"File", "snetcfg.exe" Property Name = ComponentVSGUID Format = GUID Value = {E06BA3C7-2785-44FA-9F7F-
E77CD909BB31}
Netbios Driver Resource Name = RawDep(819):"File", "snetcfg.exe" Property Name = RawType Format = String Value = File
Netbios Driver Resource Name = RawDep(819):"File", "snetcfg.exe" Property Name = Value Format = String Value = snetcfg.exe
Netnb Inf
Netnb Inf Property Name = cmiLangEnableMUI Format = Boolean Value = True
Netnb Inf Property Name = cmiNoHelpFiles Format = Boolean Value = False

Netnb Inf Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Netnb Inf Property Name = cmiServicePackLevel Format = Integer Value = 2
Netnb Inf Property Name = SrcFileSize Format = Integer Value = 4096
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" BuildOrder = 1000 Disabled = False
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = ComponentVSGUID Format = GUID Value = {1BDD71DD-5647-4055-903C-
C7DE32FCA17A}
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = DstName Format = String Value = netnb.inf
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = DstPath Format = String Value = %17%
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = NoExpand Format = Boolean Value = False
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = Overwrite Format = Boolean Value = False
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = SrcFileCRC Format = Integer Value = 0
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = SrcFileSize Format = Integer Value = 4096
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = SrcName Format = String Value =
Netnb Inf Resource Name = File(819):"%17%","netnb.inf" Property Name = SrcPath Format = String Value =
Netserv Inf
Netserv Inf Property Name = cmiLangEnableMUI Format = Boolean Value = True
Netserv Inf Property Name = cmiNoHelpFiles Format = Boolean Value = False
Netserv Inf Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Netserv Inf Property Name = cmiServicePackLevel Format = Integer Value = 2
Netserv Inf Property Name = SrcFileSize Format = Integer Value = 4096
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" BuildOrder = 1000 Disabled = False
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = ComponentVSGUID Format = GUID Value = {B30E1EB8-AF04-4D13-9660-
8927CDEB0745}
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = DstName Format = String Value = netserv.inf
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = DstPath Format = String Value = %17%
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = NoExpand Format = Boolean Value = False
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = Overwrite Format = Boolean Value = False
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = SrcFileCRC Format = Integer Value = 0
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = SrcFileSize Format = Integer Value = 4096
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = SrcName Format = String Value =
Netserv Inf Resource Name = File(819):"%17%","netserv.inf" Property Name = SrcPath Format = String Value =
Pragmatic General Multicast (Reliable Multicast protocol)
Pragmatic General Multicast (Reliable Multicast protocol) Property Name = cmiLangEnableMUI Format = Boolean Value = True
Pragmatic General Multicast (Reliable Multicast protocol) Property Name = cmiNoHelpFiles Format = Boolean Value = False
Pragmatic General Multicast (Reliable Multicast protocol) Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Pragmatic General Multicast (Reliable Multicast protocol) Property Name = cmiServicePackLevel Format = Integer Value = 2
Pragmatic General Multicast (Reliable Multicast protocol) Property Name = SrcFileSize Format = Integer Value = 212992
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" BuildOrder = 1000 Disabled = False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = ComponentVSGUID Format = GUID
Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = DstName Format = String Value =
WshRm.dll
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = DstPath Format = String Value =
%11%
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = NoExpand Format = Boolean Value
= False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = Overwrite Format = Boolean Value =
False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = SrcFileCRC Format = Integer Value
= 0
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = SrcFileSize Format = Integer Value
= 12288
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = SrcName Format = String Value =
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%11%","WshRm.dll" Property Name = SrcPath Format = String Value =
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" BuildOrder = 1000 Disabled = False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = ComponentVSGUID Format =
GUID Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = DstName Format = String Value =
RMCast.sys
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = DstPath Format = String Value =
%12%
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = NoExpand Format = Boolean Value
= False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = Overwrite Format = Boolean Value
= False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = SrcFileCRC Format = Integer Value
= 0
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = SrcFileSize Format = Integer Value
= 200704
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = SrcName Format = String Value =
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = File(819):"%12%","RMCast.sys" Property Name = SrcPath Format = String Value =
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","Ndis.sys" BuildOrder = 1000 Disabled = False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","Ndis.sys" Property Name = ComponentVSGUID Format = GUID
Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","Ndis.sys" Property Name = RawType Format = String Value =
File
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","Ndis.sys" Property Name = Value Format = String Value =
Ndis.sys
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","NtosKnl.exe" BuildOrder = 1000 Disabled = False
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","NtosKnl.exe" Property Name = ComponentVSGUID Format =
GUID Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","NtosKnl.exe" Property Name = RawType Format = String Value
= File
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","NtosKnl.exe" Property Name = Value Format = String Value =
NtosKnl.exe
Pragmatic General Multicast (Reliable Multicast protocol) Resource Name = RawDep(819):"File","Tdi.sys" BuildOrder = 1000 Disabled = False

[illegible]

[illegible]

[illegible]

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\RMCAST\Security", "Security" Property Name = ValueName Format = String Value = Security

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST" BuildOrder = 1000 Disabled = False

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST" Property Name =
ComponentVSGUID Format = GUID Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST" Property Name = RegCond Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST" Property Name = RegOp Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST" Property Name = RegType Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" BuildOrder = 1000 Disabled = False

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = ComponentVSGUID Format = GUID Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = RegCond Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = RegOp Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = RegType Format = Integer Value = 3

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = RegValue Format = Binary Value =
2E040200020000010000000100000000400000071000000FFFFF7F2000000057005300480052004D000000

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 1.1 Provider Data" Property Name = ValueName Format = String Value = WinSock 1.1 Provider Data

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" BuildOrder = 1000 Disabled = False

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = ComponentVSGUID Format = GUID Value = {E46990ED-B137-491C-B0FB-8AC7B0C595B9}

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = RegCond Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = RegOp Format = Integer Value = 1

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = RegType Format = Integer Value = 3

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = RegValue Format = Binary Value = 60BF326DE318D9478FE7835E4E7AF69C

Pragmatic General Multicast (Reliable Multicast protocol) Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Winsock\Setup Migration\Providers\RMCAST", "WinSock 2.0 Provider ID" Property Name = ValueName Format = String Value = WinSock 2.0 Provider ID

Primitive: Dbgeng

Primitive: Dbgeng Property Name = cmiLangEnableMUI Format = Boolean Value = True

Primitive: Dbgeng Property Name = cmiNoHelpFiles Format = Boolean Value = False

Primitive: Dbgeng Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000

Primitive: Dbgeng Property Name = cmiServicePackLevel Format = Integer Value = 2

Primitive: Dbgeng Property Name = SrcFileSize Format = Integer Value = 847872

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" BuildOrder = 1000 Disabled = False

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = ComponentVSGUID Format = GUID Value = {4FA0330E-F19E-4473-98C7-D750F2378FAC}

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = DstName Format = String Value = dbgeng.dll

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = DstPath Format = String Value = %11%

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = NoExpand Format = Boolean Value = False

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = Overwrite Format = Boolean Value = False

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = SrcFileCRC Format = Integer Value = 0

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = SrcFileSize Format = Integer Value = 847872

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = SrcName Format = String Value =

Primitive: Dbgeng Resource Name = File(819):"%11%", "dbgeng.dll" Property Name = SrcPath Format = String Value =

Primitive: Dbgeng Resource Name = RawDep(819):"File", "DBGHELP.DLL" BuildOrder = 1000 Disabled = False

Primitive: Dbgeng Resource Name = RawDep(819):"File", "DBGHELP.DLL" Property Name = ComponentVSGUID Format = GUID Value = {4FA0330E-F19E-4473-98C7-D750F2378FAC}

Primitive: Dbgeng Resource Name = RawDep(819):"File", "DBGHELP.DLL" Property Name = RawType Format = String Value = File

Primitive: Dbgeng Resource Name = RawDep(819):"File", "DBGHELP.DLL" Property Name = Value Format = String Value = DBGHELP.DLL

Primitive: Dbghelp
Primitive: Dbghelp Property Name = cmiGenerated Format = String Value = dbghelp.dll
Primitive: Dbghelp Property Name = cmiLangEnableMUI Format = Boolean Value = True
Primitive: Dbghelp Property Name = cmiNoHelpFiles Format = Boolean Value = False
Primitive: Dbghelp Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D006900470065006E0065007200610074006500640
0000063006D0069004E006F00480065006C007000460069006C0065007300000063006D0069004C0061006E00670045006E00610062006C0065004D0055004
9000000
Primitive: Dbghelp Property Name = cmiServicePackLevel Format = Integer Value = 2
Primitive: Dbghelp Property Name = SrcFileSize Format = Integer Value = 643072
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" BuildOrder = 1000 Disabled = False
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = cmiGenerated Format = String Value = RawFile
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = ComponentVSGUID Format = GUID Value = {7C3FDD2A-FAEE-4878-
BA76-6C846CD17C4A}
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = DstName Format = String Value = dbghelp.dll
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = DstPath Format = String Value = %11%
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = NoExpand Format = Boolean Value = False
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = Overwrite Format = Boolean Value = False
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = SrcFileSize Format = Integer Value = 643072
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = SrcName Format = String Value =
Primitive: Dbghelp Resource Name = File(819):"%11%", "dbghelp.dll" Property Name = SrcPath Format = String Value =
Primitive: Localspl
Primitive: Localspl Property Name = cmiLangEnableMUI Format = Boolean Value = True
Primitive: Localspl Property Name = cmiNoHelpFiles Format = Boolean Value = False
Primitive: Localspl Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Primitive: Localspl Property Name = cmiServicePackLevel Format = Integer Value = 2
Primitive: Localspl Property Name = SrcFileSize Format = Integer Value = 344064
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" BuildOrder = 1000 Disabled = False
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = ComponentVSGUID Format = GUID Value = {F31C972A-8D31-495A-B475-
14A91515B8C3}
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = DstName Format = String Value = localspl.dll
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = DstPath Format = String Value = %11%
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = NoExpand Format = Boolean Value = False
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = Overwrite Format = Boolean Value = False
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = SrcFileSize Format = Integer Value = 344064
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = SrcName Format = String Value =
Primitive: Localspl Resource Name = File(819):"%11%", "localspl.dll" Property Name = SrcPath Format = String Value =
Primitive: Shlwapi - Security Update KB905915
Primitive: Spoolss
Primitive: Spoolss Property Name = cmiLangEnableMUI Format = Boolean Value = True
Primitive: Spoolss Property Name = cmiNoHelpFiles Format = Boolean Value = False
Primitive: Spoolss Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Primitive: Spoolss Property Name = cmiServicePackLevel Format = Integer Value = 2
Primitive: Spoolss Property Name = SrcFileSize Format = Integer Value = 77824
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" BuildOrder = 1000 Disabled = False
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = ComponentVSGUID Format = GUID Value = {218FB286-2927-403F-AB64-
14E369F8AF9D}
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = DstName Format = String Value = spoolss.dll
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = DstPath Format = String Value = %11%
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = NoExpand Format = Boolean Value = False
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = Overwrite Format = Boolean Value = False
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = SrcFileSize Format = Integer Value = 77824
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = SrcName Format = String Value =
Primitive: Spoolss Resource Name = File(819):"%11%", "spoolss.dll" Property Name = SrcPath Format = String Value =
Primitive: Win32Spl
Primitive: Win32Spl Property Name = cmiLangEnableMUI Format = Boolean Value = True
Primitive: Win32Spl Property Name = cmiNoHelpFiles Format = Boolean Value = False
Primitive: Win32Spl Property Name = cmiProtPropList Format = Multi Value =
63006D006900530065007200760069006300650050006100630068004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670045006E00610062006C0065004D00550049000000
Primitive: Win32Spl Property Name = cmiServicePackLevel Format = Integer Value = 2
Primitive: Win32Spl Property Name = SrcFileSize Format = Integer Value = 102400
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" BuildOrder = 1000 Disabled = False
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = ComponentVSGUID Format = GUID Value = {91341162-0FB2-4877-
A8D9-C706B97AF412}
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = DstName Format = String Value = win32spl.dll
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = DstPath Format = String Value = %11%
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = NoExpand Format = Boolean Value = False
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = Overwrite Format = Boolean Value = False
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = SrcFileCRC Format = Integer Value = 0
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = SrcFileSize Format = Integer Value = 102400
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = SrcName Format = String Value =
Primitive: Win32Spl Resource Name = File(819):"%11%", "win32spl.dll" Property Name = SrcPath Format = String Value =
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print" BuildOrder = 1000 Disabled = False
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print" Property Name = ComponentVSGUID
Format = GUID Value = {91341162-0FB2-4877-A8D9-C706B97AF412}
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print" Property Name = KeyPath Format = String
Value = HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print" Property Name = RegCond Format =
Integer Value = 1
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print" Property Name = RegOp Format = Integer
Value = 1
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print" Property Name = RegType Format =
Integer Value = 1
Primitive: Win32Spl Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Print", "MajorVersion" BuildOrder = 1000
Disabled = False

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" BuildOrder = 1000 Disabled = False
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = ComponentVSGUID
Format = GUID Value = {2AC3EB9C-3D5C-4F27-AB2D-7F07B5205485}
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = KeyPath Format =
String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = RegCond Format =
Integer Value = 1
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = RegOp Format =
Integer Value = 1
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = RegType Format =
Integer Value = 4
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = RegValue Format =
Integer Value = 0
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Performance", "WbemAdapStatus" Property Name = ValueName Format =
String Value = WbemAdapStatus
Print Spooler - Security Update KB896423 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security"
BuildOrder = 1000 Disabled = False
Print Spooler - Security Update KB896423 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security"
Property Name = ComponentVSGUID Format = GUID Value = {2AC3EB9C-3D5C-4F27-AB2D-7F07B5205485}
Print Spooler - Security Update KB896423 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security"
Property Name = KeyPath Format = String Value = HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security
Print Spooler - Security Update KB896423 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security"
Property Name = RegCond Format = Integer Value = 1
Print Spooler - Security Update KB896423 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security"
Property Name = RegOp Format = Integer Value = 1
Print Spooler - Security Update KB896423 Resource Name = RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security"
Property Name = RegType Format = Integer Value = 1
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" BuildOrder = 1000 Disabled = False
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = ComponentVSGUID Format = GUID
Value = {2AC3EB9C-3D5C-4F27-AB2D-7F07B5205485}
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = KeyPath Format = String Value =
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = RegCond Format = Integer Value =
1
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = RegOp Format = Integer Value = 1
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = RegType Format = Integer Value =
3
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = RegValue Format = Binary Value =
01001480900000009C00000014000000300000002001C0001000000002801400FF01F00010100000000000100000000020060000400000000014008D010200
0101000000000005B000000000018009D01020001020000000000052000000002302000000001800FF01F000102000000000005200000002002000000001400
FD01020001010000000000051200000001010000000000051200000000000512000000
Print Spooler - Security Update KB896423 Resource Name =
RegKey(819):"HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\Spooler\Security", "Security" Property Name = ValueName Format = String Value =
Security
S3 Trio64V+ Property Name = cmiScreenResdution Format = String Value = 800,600
SLX Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D006900500049004400000063006D0069005400610
0720067006500740042006F006F0074004400720069007600650000063006D006900540061007200670065007400570069006E00440069007200000063006D0
06900540061007200670065007400500072006F006700720061006D00460069006C0065007300000063006D00690054006100720067006500740044006F00630
0730041006E006400530065007400740069006E0067007300000063006D00690042006F006F0074004100720063005000610074006800000063006D006900420
06F006F0074005000610072007400530069007A006500000063006D00690043006C0075007300740065007200530069007A006500000063006D006900410075
0074006F005200650066007200650073006800000063006D0069004100750074006F005500700067007200610064006500000063006D00690041006300740069
00760061007400650052006500660072006500730068004600610069006C007500720065007300000063006D006900440065007600690063006500530065007200690061006
0065006C00000063006D00690044006500760069006300650052006F006C006500000063006D006900440065007600690063006500530065007200690061006
C00000063006D0069004400650076006900630065004C006900630065006E0073006500000063006D006900520075006E00740069006D0065004F0045004D00
520065007600000063006D0069004E006F00480065006C007000460069006C006500730047006C006F00620061006C00000063006D0069004E006F00470055
00490042006F006F007400000063006D0069004200750069006C0064005000610074006800000063006D00690053004B00550043006F00640065000000Dial-up
Server for Windows
SLX Property Name = SrcFileSize Format = Integer Value = 285396992
User Interface Core Property Name = cmiLockTaskBar Format = Boolean Value = False
User Interface Core Property Name = cmiNumOfPrograms Format = Integer Value = 2
User Interface Core Property Name = cmiShowNetworkConnections Format = Boolean Value = True
WMI Tools
WMI Tools Property Name = cmiLangEnableMUI Format = Boolean Value = True
WMI Tools Property Name = cmiNoHelpFiles Format = Boolean Value = False
WMI Tools Property Name = cmiProtPropList Format = Multi Value =
63006D00690053006500720076006900630065005000610063006B004C006500760065006C00000063006D0069004E006F00480065006C007000460069006C0
065007300000063006D0069004C0061006E00670074005006E00610062006C0065004D00550049000000
WMI Tools Property Name = cmiServicePackLevel Format = Integer Value = 2
WMI Tools Property Name = SrcFileSize Format = Integer Value = 397312
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" BuildOrder = 1000 Disabled = False
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" Property Name = Arguments Format = String Value =
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" Property Name = ComponentVSGUID Format = GUID Value = {6297DC4A-366E-
42AF-8C1B-367BD4D3C363}
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" Property Name = DLLEntryPoint Format = String Value =
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" Property Name = DLLInstall Format = Boolean Value = False
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" Property Name = DLLRegister Format = Boolean Value = True
WMI Tools Resource Name = FBRegDLL(819):"%11%\wbem\wbemcntl.dll", "" Property Name = ErrorControl Format = Integer Value = 0

[illegible]

[illegible]